INDEX TO

EXPERIMENTAL MECHANICS

VOLUME 18, 1978

SUBJECT INDEX

Acoustic Emission, Imminent Fracture Detection in Graphite/Epoxy Using — J. M. Carlyle, 191-195 (May).
Acoustic-emission Signals, The Application of a Time-domain Deconvolution Technique for Identification of Experimental — J. R. Houghton, M. A. Townsend and P. F. Packman, 233-239 (Jun.).
Acoustoelastic Stress Analysis of Residual Stress in a Patch-welded Disk — H. Fukuoka, H. Toda and T. Yamane, 277-280 (Jul).
Aerodynamic Forces on a Tall Building in a Turbulent Boundary Layer — T. A. Reinhold, H. W. Tieleman and F. J. Maher, 201-207 (Jun.).
Aluminum-alloy Specimens, On the Measurement of Residual-stress Gradients in — A. M. Nawwar and J. Shewchuk, 269-276 (Jul.).
Analysis of Axially Symmetrical Residual Stresses in Bars and Tubes — T. Nishimura, 180-184 (May).
Analytical-Experimental Correlation of Polyaxial States of Stress in Thornel-Epoxy Laminates — R. E. Rowlands, 253-260 (Jul.).
Application of a Time-domain Deconvolution Technique for Identification of Experimental Acoustic-emission Signals, The — J. R. Houghton, M. A. Townsend and P. F. Packman, 233-239 (Jun.).
Axisymmetric Problems, Integrated Photoelasticity for — J. F. Doyle and H. T. Danyluk, 215-220 (Jun.).
Bellows, Strain and Fatigue Testing of Large Expansion — D. K. Sharma, R. Henschel and M. Krawchuk, 49-55 (Feb.).
Bending, Photoelastic Analysis of a Thick Plate with an Elliptical Hole Subjected to Simple Out-of-plane — N. A. Rubayi and G. W. Sosropartono, 335-343 (Sept.).
Bending, Stresses in Turbine-blade Tenons Subjected to — R. H. Marloff, 19-24 (Jan.).
Biot's Parameters for Sandstones — Part 1: Static Tests, The Determination of — C. H. Yew and P. N. Jogi, 167-172 (May).
Birefringence, Part 1: Relations in Transmitted Radiation, Characteristic Relations of Flow — J. T. Pindera and A. R. Krishnamurthy, 1-10 (Jan.).
Birefringence, Part 2: Relations in Scattered Radiation, Characteristic Relations of Flow — J. T. Pindera and A. R. Krishnamurthy, 41-48 (Feb.).
Blind-hole Method with Off-center Hole, Residual Stress by — J. P. Sandifer and G. E. Bowie, 173-179 (May).
Buckling, Some Effects of Rib-reinforcement Arrangement on Spherical-dome — S. C. Tillman, 396-400 (Oct.).
Building in a Turbulent Boundary Layer, Aerodynamic Forces on a Tall — T. A. Reinhold, H. W. Tieleman and F. J. Maher, 201-207 (Jun.).
Casting Plates for Two-dimensional Photoelastic Models, A Simple Procedure for — R. B. Agarwal and L. W. Teufel, 19N-20N (Sept.).
Caustics, The Elastic Contact of Two Disks by the Method of — P. S. Theocaris and C. A. Stassinakis, 409-415 (Nov.).
Characteristic Relations of Flow Birefringence, Part 1: Relations in Transmitted Radiation — J. T. Pindera and A. R. Krishnamurthy, 1-10 (Jan.).
Characteristic Relations of Flow Birefringence, Part 2: Relations in Scattered Radiation — J. T. Pindera and A. R. Krishnamurthy, 41-48 (Feb.).
Classification of Stress-intensity Factors from Isochromatic-fringe Patterns — J. W. Dally and R. J. Sanford, 441-448 (Dec.).
Comparison of Low-cycle Fatigue Results with Axial and Diametral Extensometers — T. Bui-Quoc and A. Biron, 127-133 (Apr.).
Composites, Interlaminar-shear-strain Measurements in Cord-Rubber — A. Y. C. Lou and J. D. Walter, 457-463 (Dec.).
Concrete, Elastic-modulus Variations in — S. A. Klink, 147-151 (Apr.).
Contact of Two Disks by the Method of Caustics, The Elastic — P. S. Theocaris and C. A. Stassinakis, 409-415 (Nov.).
Cord-Rubber Composites, Interlaminar-shear-strain Measurements in — A. Y. C. Lou and J. D. Walter, 457-463 (Dec.).
Crack Growth in a Solid at Elevated Temperature by Holographic Interferometry, Measurements of — T. R. Hsu, R. Lewak and B. J. S. Wilkins, 297-302 (Aug.).
Crack Propagation in Rock Plates Loaded by Projectile Impact — L. A. Glenn and H. Jaun, 35-40 (Jan.).
Crack-tip Nonlinearities in Frozen-stress Fields, A Study of — C. W. Smith, J. J. McGowan and W. H. Peters, 309-315 (Aug.).
Creep and Relaxation of Torsion-Tension Members, Elevated-temperature — O. M. Sidebottom, 121-126 (Apr.).
Cumulative Damage in Low-cycle Fatigue — V. M. Radhakrishnan, 292-296 (Aug.).
Cylinders, Measurement of Radial Deformations in Thin-walled — C. G. Foster, 426-430 (Nov.).
Deconvolution Technique for Identification of Experimental Acoustic-emission Signals, The Application of a Time-domain — J. R. Houghton, M. A. Townsend and P. F. Packman, 233-239 (Jun.).
Deformations in Thin-walled Cylinders, Measurement of Radial — C. G. Foster, 426-430 (Nov.).
Derotator in Hologram Interferometry and Speckle Photography of Rotating Objects, The Use of an Image — K. A. Stetson, 67-73 (Feb.).
Determination of a Dynamic Model for Urethane Prosthetic Compounds — G. M Smith, Y. C. Pao and J. D. Fickes, 389-395 (Oct.).
Determination of Biot's Parameters for Sandstones — Part 1: Static Tests, The — C. H. Yew and P. N. Jogi, 167-172 (May).
Determination of Thermal-expansion Characteristics of Metals Using Strain Gages — T. E. Finke and T. G. Heberling, 155-158 (Apr.).
Differentiation Along Arbitrary Orientations — R. E. Rowlands, J. A. Jensen and K. D. Winters, 81-86 (Mar.).
Differentiation of Holographic-moire Patterns — J. A. Gilbert, 436-439 (Nov.).
Discontinuities in Stress Fields, Optimization of Geometric — A. J. Durelli, K. Brown and P. Yee, 303-308 (Aug.).
Displacement Analysis from an Image-plane Hologram, A Three-dimensional — J. P. Sikora, 101-106 (Mar.).
Displacement Analysis Using Image-plane Techniques, Holographic — J. A. Gilbert and G. A. Exner, 382-388 (Oct.).
Displacement and Strain of Vibrating Structures Using Time-average Holography — J. C. MacBain, 361-372 (Oct.).
Displacement, Extension to Three Dimensions of a Holographic-moiré Technique to Separate Patterns Corresponding to Components of — J. A. Gilbert, C. A. Sciammarella and S. K. Chawla, 321-327 (Sept.).
Displacements and Derivatives, A Lens Holographic-moiré Technique to Obtain Components of — C. A. Sciammarella and S. K. Chawla, 373-381 (Oct.).
Dynamic Fracture Toughness of Homalite-100 — A. S. Kobayashi and S. Mall, 11-18 (Jan.).
Dynamic Photoelastic and Dynamic Finite-element Analyses of Dynamic-tear-test Specimens — S. Mall, A. S. Kobayashi and Y. Urabe, 449-456 (Dec.).
Effect of Mean Stress in High-temperature Fatigue — V. M. Radhakrishnan, 196-200 (May).
Elastic Contact of Two Disks by the Method of Caustics, The — P. S. Theocaris and C. A. Stassinakis, 409-415 (Nov.).
Elastic-modulus Variations in Concrete — S. A. Klink, 147-151 (Apr.).
Electromagnetic Forcing Device, An — M. W. Hyer, W. J. Anderson and R. A. Scott, 161-166 (May).
Elevated-temperature Creep and Relaxation of Torsion-Tension Members — O. M. Sidebottom, 121-126 (Apr.).
Embedded Markers to Measure Strain in Extremely Soft Materials — W. W. Chow, 471-476 (Dec.).
Epoxy Resin, Ultrasonic Wave and Moduli Changes in a Curing — A. M. Lindrose, 227-232 (Jun.).
Equivalence of K_{Ic} and J_{Ic} Fracture-toughness Measurements in Ni-Cr-Mo Steels, The — J. H. Underwood, 350-355 (Sept.).
Experimental Determination of Impact Force vs. Displacement Curves — F. W. Dauer, 159-160 (Apr.).
Experimental Determination of the Relaxation Modulus of a Linear-isotropic-viscoelastic Material — B. Bhushan and F. W. Dauer, 421-425 (Nov.).
Experimental Investigation of the Ultimate Strength of Laterally Constrained Rock Beams, An — R. L. Sterling and C. R. Nelson, 261-268 (Jul.).
Experimentally Determined Stress-intensity Factors for Single-edge-crack Round Bar Loaded in Bending: Errata — A. J. Bush, 280 (Jul.).
Extension to Three Dimensions of a Holographic-moire Technique to Separate Patterns Corresponding to Components of Displacement — J. A. Gilbert, C. A. Sciammerella and S. K. Chawla, 321-327 (Sept.).
Extensometers, Comparison of Low-cycle Fatigue Results with Axial and Diametral — T. Bui-Quoc and A. Biron, 127-133 (Apr.).
Failure Analysis of Graphite/Epoxy Plates with Cracks, Strain and — I. M. Daniel, 246-252 (Jul.).
Fatigue, Cumulative Damage in Low-cycle — V. M. Radhakrishnan, 292-296 (Aug.).
Fatigue, Effect on Mean Stress in High-temperature — V. M. Radhakrishnan, 196-200 (May).
Fatigue Results with Axial and Diametral Extensometers, Comparison of Low-cycle — T. Bui-Quoc and A. Biron, 127-133 (Apr.).
Fatigue Testing of Large Expansion Bellows, Strain and — D. K. Sharma, R. Henschel and M. Krawchuk, 49-55 (Feb.).
Fiber-reinforced Materials, A Method to Produce Uniform Plane-stress States with Applications to — M. Arcan, Z. Hashin and A. Voloshin, 141-146 (Apr.).

INDEX TO

EXPERIMENTAL MECHANICS

VOLUME 18, 1978

SUBJECT INDEX

Acoustic Emission, Imminent Fracture Detection in Graphite/Epoxy Using — J. M. Carlyle, 191-195 (May).
Acoustic-emission Signals, The Application of a Time-domain Deconvolution Technique for Identification of Experimental — J. R. Houghton, M. A. Townsend and P. F. Packman, 233-239 (Jun.).
Acoustoelastic Stress Analysis of Residual Stress in a Patch-welded Disk — H. Fukuoka, H. Toda and T. Yamane, 277-280 (Jul).
Aerodynamic Forces on a Tall Building in a Turbulent Boundary Layer — T. A. Reinhold, H. W. Tieleman and F. J. Maher, 201-207 (Jun.).
Aluminum-alloy Specimens, On the Measurement of Residual-stress Gradients in — A. M. Nawwar and J. Shewchuk, 269-276 (Jul.).
Analysis of Axially Symmetrical Residual Stresses in Bars and Tubes — T. Nishimura, 180-184 (May).
Analytical-Experimental Correlation of Polyaxial States of Stress in Thornel-Epoxy Laminates — R. E. Rowlands, 253-260 (Jul.).
Application of a Time-domain Deconvolution Technique for Identification of Experimental Acoustic-emission Signals, The — J. R. Houghton, M. A. Townsend and P. F. Packman, 233-239 (Jun.).
Axisymmetric Problems, Integrated Photoelasticity for — J. F. Doyle and H. T. Danyluk, 215-220 (Jun.).
Bellows, Strain and Fatigue Testing of Large Expansion — D. K. Sharma, R. Henschel and M. Krawchuk, 49-55 (Feb.).
Bending, Photoelastic Analysis of a Thick Plate with an Elliptical Hole Subjected to Simple Out-of-plane — N. A. Rubayi and G. W. Sosropartono, 335-343 (Sept.).
Bending, Stresses in Turbine-blade Tenons Subjected to — R. H. Marloff, 19-24 (Jan.).
Biot's Parameters for Sandstones — Part 1: Static Tests, The Determination of — C. H. Yew and P. N. Jogi, 167-172 (May).
Birefringence, Part 1: Relations in Transmitted Radiation, Characteristic Relations of Flow — J. T. Pindera and A. R. Krishnamurthy, 1-10 (Jan.).
Birefringence, Part 2: Relations in Scattered Radiation, Characteristic Relations of Flow — J. T. Pindera and A. R. Krishnamurthy, 41-48 (Feb.).
Blind-hole Method with Off-center Hole, Residual Stress by — J. P. Sandifer and G. E. Bowie, 173-179 (May).
Buckling, Some Effects of Rib-reinforcement Arrangement on Spherical-dome — S. C. Tillman, 396-400 (Oct.).
Building in a Turbulent Boundary Layer, Aerodynamic Forces on a Tall — T. A. Reinhold, H. W. Tieleman and F. J. Maher, 201-207 (Jun.).
Casting Plates for Two-dimensional Photoelastic Models, A Simple Procedure for — R. B. Agarwal and L. W. Teufel, 19N-20N (Sept.).
Caustics, The Elastic Contact of Two Disks by the Method of — P. S. Theocaris and C. A. Stassinakis, 409-415 (Nov.).
Characteristic Relations of Flow Birefringence, Part 1: Relations in Transmitted Radiation — J. T. Pindera and A. R. Krishnamurthy, 1-10 (Jan.).
Characteristic Relations of Flow Birefringence, Part 2: Relations in Scattered Radiation — J. T. Pindera and A. R. Krishnamurthy, 41-48 (Feb.).
Classification of Stress-intensity Factors from Isochromatic-fringe Patterns — J. W. Dally and R. J. Sanford, 441-448 (Dec.).
Comparison of Low-cycle Fatigue Results with Axial and Diametral Extensometers — T. Bui-Quoc and A. Biron, 127-133 (Apr.).
Composites, Interlaminar-shear-strain Measurements in Cord-Rubber — A. Y. C. Lou and J. D. Walter, 457-463 (Dec.).
Concrete, Elastic-modulus Variations in — S. A. Klink, 147-151 (Apr.).
Contact of Two Disks by the Method of Caustics, The Elastic — P. S. Theocaris and C. A. Stassinakis, 409-415 (Nov.).
Cord-Rubber Composites, Interlaminar-shear-strain Measurements in — A. Y. C. Lou and J. D. Walter, 457-463 (Dec.).
Crack Growth in a Solid at Elevated Temperature by Holographic Interferometry, Measurements of — T. R. Hsu, R. Lewak and B. J. S. Wilkins, 297-302 (Aug.).
Crack Propagation in Rock Plates Loaded by Projectile Impact — L. A. Glenn and H. Jaun, 35-40 (Jan.).
Crack-tip Nonlinearities in Frozen-stress Fields, A Study of — C. W. Smith, J. J. McGowan and W. H. Peters, 309-315 (Aug.).
Creep and Relaxation of Torsion-Tension Members, Elevated-temperature — O. M. Sidebottom, 121-126 (Apr.).
Cumulative Damage in Low-cycle Fatigue — V. M. Radhakrishnan, 292-296 (Aug.).
Cylinders, Measurement of Radial Deformations in Thin-walled — C. G. Foster, 426-430 (Nov.).
Deconvolution Technique for Identification of Experimental Acoustic-emission Signals, The Application of a Time-domain — J. R. Houghton, M. A. Townsend and P. F. Packman, 233-239 (Jun.).
Deformations in Thin-walled Cylinders, Measurement of Radial — C. G. Foster, 426-430 (Nov.).
Derotator in Hologram Interferometry and Speckle Photography of Rotating Objects, The Use of an Image — K. A. Stetson, 67-73 (Feb.).
Determination of a Dynamic Model for Urethane Prosthetic Compounds — G. M Smith, Y. C. Pao and J. D. Fickes, 389-395 (Oct.).
Determination of Biot's Parameters for Sandstones — Part 1: Static Tests, The — C. H. Yew and P. N. Jogi, 167-172 (May).
Determination of Thermal-expansion Characteristics of Metals Using Strain Gages — T. E. Finke and T. G. Heberling, 155-158 (Apr.).
Differentiation Along Arbitrary Orientations — R. E. Rowlands, J. A. Jensen and K. D. Winters, 81-86 (Mar.).
Differentiation of Holographic-moire Patterns — J. A. Gilbert, 436-439 (Nov.).
Discontinuities in Stress Fields, Optimization of Geometric — A. J. Durelli, K. Brown and P. Yee, 303-308 (Aug.).
Displacement Analysis from an Image-plane Hologram, A Three-dimensional — J. P. Sikora, 101-106 (Mar.).
Displacement Analysis Using Image-plane Techniques, Holographic — J. A. Gilbert and G. A. Exner, 382-388 (Oct.).
Displacement and Strain of Vibrating Structures Using Time-average Holography — J. C. MacBain, 361-372 (Oct.).
Displacement, Extension to Three Dimensions of a Holographic-moiré Technique to Separate Patterns Corresponding to Components of — J. A. Gilbert, C. A. Sciammarella and S. K. Chawla, 321-327 (Sept.).
Displacements and Derivatives, A Lens Holographic-moiré Technique to Obtain Components of — C. A. Sciammarella and S. K. Chawla, 373-381 (Oct.).
Dynamic Fracture Toughness of Homalite-100 — A. S. Kobayashi and S. Mall, 11-18 (Jan.).
Dynamic Photoelastic and Dynamic Finite-element Analyses of Dynamic-tear-test Specimens — S. Mall, A. S. Kobayashi and Y. Urabe, 449-456 (Dec.).
Effect of Mean Stress in High-temperature Fatigue — V. M. Radhakrishnan, 196-200 (May).
Elastic Contact of Two Disks by the Method of Caustics, The — P. S. Theocaris and C. A. Stassinakis, 409-415 (Nov.).
Elastic-modulus Variations in Concrete — S. A. Klink, 147-151 (Apr.).
Electromagnetic Forcing Device, An — M. W. Hyer, W. J. Anderson and R. A. Scott, 161-166 (May).
Elevated-temperature Creep and Relaxation of Torsion-Tension Members — O. M. Sidebottom, 121-126 (Apr.).
Embedded Markers to Measure Strain in Extremely Soft Materials — W. W. Chow, 471-476 (Dec.).
Epoxy Resin, Ultrasonic Wave and Moduli Changes in a Curing — A. M. Lindrose, 227-232 (Jun.).
Equivalence of K_{Ic} and J_{Ic} Fracture-toughness Measurements in Ni-Cr-Mo Steels, The — J. H. Underwood, 350-355 (Sept.).
Experimental Determination of Impact Force vs. Displacement Curves — F. W. Dauer, 159-160 (Apr.).
Experimental Determination of the Relaxation Modulus of a Linear-isotropic-viscoelastic Material — B. Bhushan and F. W. Dauer, 421-425 (Nov.).
Experimental Investigation of the Ultimate Strength of Laterally Constrained Rock Beams, An — R. L. Sterling and C. R. Nelson, 261-268 (Jul.).
Experimentally Determined Stress-intensity Factors for Single-edge-crack Round Bar Loaded in Bending: Errata — A. J. Bush, 280 (Jul.).
Extension to Three Dimensions of a Holographic-moire Technique to Separate Patterns Corresponding to Components of Displacement — J. A. Gilbert, C. A. Sciammerella and S. K. Chawla, 321-327 (Sept.).
Extensometers, Comparison of Low-cycle Fatigue Results with Axial and Diametral — T. Bui-Quoc and A. Biron, 127-133 (Apr.).
Failure Analysis of Graphite/Epoxy Plates with Cracks, Strain and — I. M. Daniel, 246-252 (Jul.).
Fatigue, Cumulative Damage in Low-cycle — V. M. Radhakrishnan, 292-296 (Aug.).
Fatigue, Effect on Mean Stress in High-temperature — V. M. Radhakrishnan, 196-200 (May).
Fatigue Results with Axial and Diametral Extensometers, Comparison of Low-cycle — T. Bui-Quoc and A. Biron, 127-133 (Apr.).
Fatigue Testing of Large Expansion Bellows, Strain and — D. K. Sharma, R. Henschel and M. Krawchuk, 49-55 (Feb.).
Fiber-reinforced Materials, A Method to Produce Uniform Plane-stress States with Applications to — M. Arcan, Z. Hashin and A. Voloshin, 141-146 (Apr.).

Fibrous Composites, Use of Flexure Test for Determining Environmental Behavior of — J. M. Whitney and G. E. Husman, 185-190 (May).

Finite-element Analyses of Dynamic-tear-test Specimens, Dynamic Photoelastic and Dynamic — S. Mall, A. S. Kobayashi and Y. Urabe, 449-456 (Dec.).

Flexure Test for Determining Environmental Behavior of Fibrous Composites, Use of — J. M. Whitney and G. E. Husman, 185-196 (May).

Flow Birefringence, Part 1: Relations in Transmitted Radiation, Characteristic Relations of — J. T. Pindera and A. R. Krishnamurthy, 1-10 (Jan.).

Flow Birefringence, Part 2: Relations in Scattered Radiation, Characteristic Relations of — J. T. Pindera and A. R. Krishnamurthy, 41-48 (Feb.).

Force vs. Displacement Curves, Experimental Determination of Impact — F. W. Dauer, 159-160 (Apr.).

Forcing Device, An Electromagnetic — M. W. Hyer, W. J. Anderson and R. A. Scott, 161-166 (May).

Fracture Detection in Graphite/Epoxy Using Acoustic Emission, Imminent — J. M. Carlyle, 191-195 (May).

Fracture-toughness Measurements in Ni-Cr-Mo Steels, The Equivalence of K_{Ic} and J_{Ic} — J. H. Underwood, 350-355 (Sept.).

Fracture Toughness of Homalite-100, Dynamic — A. S. Kobayashi and S. Mall, 11-18 (Jan.).

Frozen-stress Fields, A Study of Crack-tip Nonlinearities in — C. W. Smith, J. J. McGowan and W. H. Peters, 309-315 (Aug.).

Full-field Optical Strain Measurement Having Postrecording Sensitivity and Direction Selectivity — Y. Y. Hung, I. M. Daniel and R. E. Rowlands, 56-60 (Feb.).

Gage for Rock-mechanics Testing, Lateral-deformation — K. W. Schuler, 477-480 (Dec.).

Graphite/Epoxy Plates with Cracks, Strain and Failure Analysis of — I. M. Daniel, 246-252 (Jul.).

Graphite/Epoxy Structures with Arbitrary Symmetrical Laminates, Stability of — E. E. Spier, 401-408 (Nov.).

Graphite/Epoxy Using Acoustic Emission, Imminent Fracture Detection in — J. M. Carlyle, 191-195 (May).

Heat-transfer Rate, Stress State in Tempered Glass Plate and Determination of — N. K. Sinha, 25-34 (Jan.).

High-temperature Fatigue, Effect of Mean Stress in — V. M. Radhakrishnan, 196-200 (May).

High-temperature Strain Measurement, A New Method of — R. H. Marion, 134-140 (Apr.).

History of Some Recent Measurements Described in EXPERIMENTAL MECHANICS, On the — Discussion by A. J. Durelli, 240 (Jun.).

Hologram, A Three-dimensional Displacement Analysis from an Image-plane — J. P. Sikora, 101-106 (Mar.).

Hologram Interferometry and Speckle Photography of Rotating Objects, The Use of an Image Derotator in — K. A. Stetson, 67-73 (Feb.).

Holographic Analysis of a Turbine-engine Component, Photoelastic and — V. J. Parks and R. J. Sanford, 328-334 (Sept.).

Holographic Data, Strains from — J. E. Sollid and K. A. Stetson, 208-214 (Jun.).

Holographic Displacement Analysis Using Image-plane Techniques — J. A. Gilbert and G. A. Exner, 382-388 (Oct.).

Holographic Interferometry, Measurements of Crack Growth in a Solid at Elevated Temperature by — T. R. Hsu, R. Lewak and B. J. S. Wilkins, 297-302 (Aug.).

Holographic Interferometry, Normal Surface Displacement Around a Circular Hole by Reflection — P. M. de Larminat and R. P. Wei, 74-80 (Feb.).

Holographic Method for Matching and Measuring the Refractive Index of a Photoelastic Material, A — R. J. Sanford and V. J. Parks, 112-114 (Mar.).

Holographic-moiré Patterns, Differentiation of — J. A. Gilbert, 436-439 (Nov.).

Holographic-moiré Technique to Obtain Components of Displacements and Derivatives, A Lens — C. A. Sciammarella and S. K. Chawla, 373-381 (Oct.).

Holographic-moiré Technique to Separate Patterns Corresponding to Components of Displacement, Extension to Three Dimensions of a — J. A. Gilbert, C. A. Sciammarella and S. K. Chawla, 321-327 (Sept.).

Holography, Displacement and Strain of Vibrating Structures Using Time-average — J. C. MacBain, 361-372 (Oct.).

Homalite-100, Dynamic Fracture Toughness of — A. S. Kobayashi and S. Mall, 11-18 (Jan.).

Hydraulic — Materials-testing System with 10-nm Positional Accuracy — P. Neumann, 152-154 (Apr.).

Ice, Rheology of Columnar-grained — N. K. Sinha, 464-470 (Dec.).

Image-plane Hologram, A Three-dimensional Displacement Analysis from an — J. P. Sikora, 101-106 (Mar.).

Image-plane Techniques, Holographic Displacement Analysis Using — J. A. Gilbert and G. A. Exner, 382-388 (Oct.).

Impact, Crack Propagation in Rock Plates Loaded by Projectile — L. A. Glenn and H. Jaun, 34-40 (Jan.).

Impact Force vs. Displacement Curves, Experimental Determination of — F. W. Dauer, 159-160 (Apr.).

Imminent Fracture Detection in Graphite/Epoxy Using Acoustic Emission — J. M. Carlyle, 191-195 (May).

Imperfections of Plates and Shells Useful?, Are Measurements of Geometric — H. H. Spencer, 107-111 (Mar.).

Integrated Photoelasticity for Axisymmetric Problems — J. F. Doyle and H. T. Danyluk, 215-220 (Jun.).

Interlaminar-shear-strain Measurements in Cord-Rubber Composites — A. Y. C. Lou and J. D. Walter, 457-463 (Dec.).

Interpretation of Shadow-moiré Fringes, On the — J. Buitrago and A. J. Durelli, 221-226 (Jun.).

Isochromatic-fringe Patterns, Classification of Stress-intensity Factors from — J. W. Dally and R. J. Sanford, 441-448 (Dec).

Laminates, Stability of Graphite/Epoxy Structures with Arbitrary Symmetrical — E. E. Spier, 401-408 (Nov.).

Lateral-deformation Gage for Rock-mechanics Testing — K. W. Schuler, 477-480 (Dec.).

Lens Holographic-moiré Technique to Obtain Components of Displacements and Derivatives, A — C. A. Sciammarella and S. K. Chawla, 373-381 (Oct.).

Materials-testing System with 10-nm Positional Accuracy, Hydraulic — P. Neumann, 152-154 (Apr.).

Mathematical and Physical Models — R. K. Mueller, 241-245 (Jul.).

Measurement of Dimensional Changes in Thin Polymer Films — H. J. Greenberg, R. L. Stephens and F. E. Talke, 115-120 (Mar.).

Measurement of Radial Deformations in Thin-walled Cylinders — C. G. Foster, 426-430 (Nov.).

Measurement of Residual-stress Gradients in Aluminum-alloy Specimens, On the — A. M. Nawwar and J. Shewchuk, 269-276 (Jul.).

Measurements of Crack Growth in a Solid at Elevated Temperature by Holographic Interferometry — T. R. Hsu, R. Lewak and B. J. S. Wilkins, 297-302 (Aug.).

Measurements of Geometric Imperfections of Plates and Shells Useful?, Are — H. H. Spencer, 107-111 (Mar.).

Measurements on Scaled Models of Thrust Pads — A. Akers, 356-360 (Sept.).

Method to Produce Uniform Plane-stress States with Applications to Fiber-reinforced Materials, A — M. Arcan, Z. Hashin and A. Voloshin, 141-146 (Apr.).

Minimizing Stress Concentrations Around Circular Holes in Uniaxially Loaded Plates — P. E. Erickson and W. F. Riley, 97-100 (Mar.).

Mixed-mode Stress-intensity Factors, A Photoelastic Determination of — E. E. Gdoutos and P. S. Theocaris, 87-96 (Mar.).

Model for Urethane Prosthetic Compounds, Determination of a Dynamic — G. M. Smith, Y. C. Pao and J. D. Fickes, 389-395 (Oct.).

Models, Mathematical and Physical — R. K. Mueller, 241-245 (Jul.).

Moiré System, A Practical Multiplied — C. A. Walker and J. McKelvie, 316-320 (Aug.).

New Method of High-temperature Strain Measurement, A — R. H. Marion, 134-140 (Apr.).

Nonlinear Behavior of Circular Plates with Work Hardening — R. Winter and H. S. Levine, 281-291 (Aug.).

Normal Surface Displacement Around a Circular Hole by Reflection Holographic Interferometry — P. M. de Larminat and R. P. Wei, 74-80 (Feb.).

Numerical Method for Separation of Stresses in Photo-orthotropic Elasticity, A — K. Chandrashekhara and K. Abraham Jacob, 61-66 (Feb.)

Off-center Hole, Residual Stress by Blind-hole Method with — J. P. Sandifer and G. E. Bowie, 173-179 (May).

Optical Constitutive Relations, A Unified Approach to — J. F. Doyle, 416-420 (Nov.).

Optical Strain Measurement Having Postrecording Sensitivity and Direction Selectivity, Full-field — Y. Y. Hung, I. M. Daniel and R. E. Rowlands, 56-60 (Feb.).

Optimization of Geometric Discontinuities in Stress Fields — A. J. Durelli, K. Brown and P. Yee, 303-308 (Aug.).

Orientations, Differentiation Along Arbitrary — R. E. Rowlands, J. A. Jensen and K. D. Winters, 81-86 (Mar.).

Photoelastic Analysis of a Thick Plate with an Elliptical Hole Subjected to Simple Out-of-plane Bending — N. A. Rubayi and G. W. Sosropartono, 335-343 (Sept.).

Photoelastic and Dynamic Finite-element Analyses of Dynamic-tear-test Specimens, Dynamic — S. Mall, A. S. Kobayashi and Y. Urabe, 449-456 (Dec.).

Photoelastic and Holographic Analysis of a Turbine-engine Component — V. J. Parks and R. J. Sanford, 328-334 (Sept.).

Photoelastic-coating Analysis of a Thermoplastic, Rectangular-parallelepiped Pressure Vessel — R. O. Case and J. N. Holly, 431-435 (Nov.).

Photoelastic Determination of Mixed-mode Stress-intensity Factors, A — E. E. Gdoutos and P. S. Theocaris, 87-96 (Mar.).

Photoelastic Material, A Holographic Method for Matching and Measuring the Refractive Index of a — R. J. Sanford and V. J. Parks, 112-114 (Mar.).

Photoelasticity for Axisymmetric Problems, Integrated — J. F. Doyle and H. T. Danyluk, 215-220 (Jun.).

Photo-orthotropic Elasticity, A Numerical Method for Separation of Stresses in — K. Chandrashekhara and K. Abraham Jacob, 61-66 (Feb.).

Plane-stress States with Applications to Fiber-reinforced Materials, A Method to Produce Uniform — M. Arcan, Z. Hashin and A. Voloshin, 141-146 (Apr.).

Plate with an Elliptical Hole Subjected to Simple Out-of-plane Bending, Photoelastic Analysis of a Thick — N. A. Rubayi and G. W. Sosropartono, 335-343 (Sept.).

Plates and Shells Useful? Are Measurements of Geometric Imperfections of — H. H. Spencer, 107-111 (Mar.).

Plates, Minimizing Stress Concentrations Around Circular Holes in Uniaxially Loaded — P. E. Erickson and W. F. Riley, 97-100 (Mar.).

Plates with Work Hardening, Nonlinear Behavior of Circular — R. Winter and H. S. Levine, 281-291 (Aug.).

Polyaxial States of Stress in Thornel-Epoxy Laminates, Analytical-Experimental Correlation of — R. E. Rowlands, 253-260 (Jul.).

Polymer Films, Measurements of Dimensional Changes in Thin — H. J. Greenberg, R. L. Stephens and F. E. Talke, 115-120 (Mar.).

Pressure Vessel, Photoelastic-coating Analysis of a Thermoplastic, Rectangular-parallelepiped — R. O. Case and J. N. Holly, 431-435 (Nov.).

Photoviscoelasticity on a Microsecond Time Scale — R. L. Peeters and R R. Parmerter, 344-349 (Sept.).

Practical Multiplied-moiré System, A — C. A. Walker and J. McKelvie, 316-320 (Aug.).

Refractive Index of a Photoelastic Material, A Holographic Method for Matching and Measuring the — R. J. Sanford and V. J. Parks, 112-114 (Mar.).

Relaxation Modulus of a Linear-isotropic-viscoelastic Material, Experimental Determination of the — B. Bhushan and F. W. Dauer, 421-425 (Nov.)

Residual-stress Gradients in Aluminum-alloy Specimens, On the Measurement of — A. M. Nawwar and J. Shewchuk, 269-276 (Jul.).

Residual Stress in a Patch-welded Disk, Acoustoelastic Stress Analysis of — H. Fukuoka, H. Toda and T. Yamane, 277-280 (Jul.).
Residual Stress by Blind-hole Method with Off-center Hole — J. P. Sandifer and G. E. Bowie, 173-179 (May).
Residual Stresses in Bars and Tubes, Analysis of Axially Symmetrical — T. Nishimura, 180-184 (May)
Rheology of Columnar-grained Ice — N. K. Sinha, 464-470 (Dec.).
Rib-reinforcement Arrangement on Spherical-dome Buckling, Some Effects of — S. C. Tillman, 396-400 (Oct.).
Rock Beams, An Experimental Investigation of the Ultimate Strength of Laterally Constrained — R. L. Sterling and C. R. Nelson, 261-268 (Jul.).
Rock-mechanics Testing, Lateral-deformation Gage for — K. W. Schuler, 477-480 (Dec.).
Rock Plates Loaded by Projectile Impact, Crack Propagation in — L. A. Glenn and H. Jaun, 35-40 (Jan.).
Separation of Stresses in Photo-orthotropic Elasticity, A Numerical Method for — K. Chandrashekhara and K. Abraham Jacob, 61-66 (Feb.).
Shadow-moire Fringes, On the Interpretation of — J. Buitrago and A. J. Durelli, 221-226 (Jun.).
Simple Procedure for Casting Plates for Two-dimensional Photoelastic Models, A — R. B. Agarwal and L. W. Teufel, 19N-20N (Sept.).
Soft Materials, Embedded Markers to Measure Strain in Extremely — W. W. Chow, 471-476 (Dec.).
Some Effects of Rib-reinforcement Arrangement on Spherical-dome Buckling — S. C. Tillman, 396-400 (Oct.).
Stability of Graphite/Epoxy Structures with Arbitrary Symmetrical Laminates — E. E. Spier, 401-408 (Nov.).
Static Tests, The Determination of Biot's Parameters for Sandstones — Part 1: — C. H. Yew and P. N. Jogi, 167-172 (May).
Strain and Failure Analysis of Graphite/Epoxy Plates with Cracks — I. M. Daniel, 246-252 (Jul.).
Strain and Fatigue Testing of Large Expansion Bellows — D. K. Sharma, R. Henschel and M. Krawchuk, 49-55 (Feb.).
Strain Gages, Determination of Thermal-expansion Characteristics of Metals Using — T. E. Finke and T. G. Heberling, 155-158 (Apr.).
Strain in Extremely Soft Materials, Embedded Markers to Measure — W. W. Chow, 471-476 (Dec.).
Strain Measurement, A New Method of High-temperature — R. H. Marion, 134-140 (Apr.).
Strain Measurement Having Postrecording Sensitivity and Direction Selectivity, Full-field Optical — Y. Y. Hung, I. M. Daniel and R. E. Rowlands, 56-60 (Feb.).
Strain of Vibrating Structures Using Time-average Holography, Displacement and — J. C. MacBain, 361-372 (Oct.).
Strains from Holographic Data — J. E. Sollid and K. A. Stetson, 208-214 (Jun.).
Strength of Laterally Constrained Rock Beams, An Experimental Investigation of the Ultimate — R. L. Sterling and C. R. Nelson, 261-268 (Jul.).
Stress Analysis of Residual Stress in a Patch-welded Disk, Acoustoelastic — H. Fukuoka, H. Toda and T. Yamane, 277-280 (Jul.).
Stress Concentrations Around Circular Holes in Uniaxially Loaded Plates, Minimizing — P. E. Erickson and W. F. Riley, 97-100 (Mar.).
Stress in High-temperature Fatigue, Effect of Mean — V. M. Radhakrisinan, 195-200 (May).
Stress in Thornel-Epoxy Laminates, Analytical-Experimental Correlation of Polyaxial States of — R. E. Rowlands, 253-260 (Jul.).
Stress-intensity Factors, A Photoelastic Determination of Mixed-mode — E. E. Gdoutos and P. S. Theocaris, 87-96 (Mar.).
Stress-intensity Factors from Isochromatic-fringe Patterns, Classification of — J. W. Dally and R. J. Sanford, 441-448 (Dec.).
Stress State in Tempered Glass Plate and Determination of Heat-transfer Rate — N. Y. Sanha, 25-34 (Jan.).
Stresses in Bars and Tubes, Analysis of Axially Symmetrical Residual — T. Nishimura, 180-184 (May).
Stresses in Photo-orthotropic Elasticity, A Numerical Method for Separation of — K. Chandrashekhara and K. Abraham Jacob, 61-66 (Feb.).
Stresses in Turbine-blade Tenons Subjected to Bending — R. H. Marloff, 19-24 (Jan.).
Study of Crack-tip Nonlinearities in Frozen-stress Fields, A — C. W. Smith, J. J. McGowan and W. H. Peters, 309-315 (Aug.).
Superposition of Photoelastic Data — Discussion by A. Kuske, 440 (Nov.).
Surface Displacement Around a Circular Hole by Reflection Holographic Interferometry, Normal — P. M. de Larminat and R. P. Wei, 74-80 (Feb.).
tear-test Specimens, Dynamic Photoelastic and Dynamic Finite-element Analyses of Dynamic- — S. Mall, A. S. Kobayashi and Y. Urabe, 449-456 (Dec.).
Thermal-expansion Characteristics of Metals Using Strain Gages, Determination of — T. E. Finke and T. G. Heberling, 155-158 (Apr.).
Three-dimensional Displacement Analysis from an Image-plane Hologram, A — J. P. Sikora, 101-106 (Mar.).
Thrust Pads, Measurements on Scaled Models — A. Akers, 356-360 (Sept.).
Torsion-Tension Members, Elevated-temperature Creep and Relaxation of — O. M. Sidebottom, 121-126 (Apr.).
Turbine-blade Tenons Subjected to Bending, Stresses in — R. H. Marloff, 19-24 (Jan.).
Turbine-engine Component, Photoelastic and Holographic Analysis of a — V. J. Parks and R. J. Sanford, 328-334 (Sept.).
Turbulent Boundary Layer, Aerodynamic Forces on a Tall Building in a — T. A. Reinhold, H. W. Tieleman and F. J. Maher, 201-207 (Jun.).
Ultrasonic Wave and Moduli Changes in a Curing Epoxy Resin — A. M. Lindrose, 227-232 (Jun.).
Unified Approach to Optical Constitutive Relations, A — J. F. Doyle, 416-420 (Nov.).
Urethane Prosthetic Compounds, Determination of a Dynamic Model for — G. M. Smith, Y. C. Pao and J. D. Fickes, 389-395 (Oct.).
Use of an Image Derotator in Hologram Interferometry and Speckle Photography of Rotating Objects, The — K. A. Stetson, 67-73 (Feb.).
Use of Flexture Test for Determining Environmental Behavior of Fibrous Composites — J. M. Whitney and G. E. Husman, 185-190 (May).
Wave and Moduli Changes in a Curing Epoxy Resin, Ultrasonic — A. M. Lindrose, 227-232 (Jun.).
Work Hardening, Nonlinear Behavior of Circular Plates with — R. Winter and H. S. Levine, 281-291 (Aug.).

AUTHOR INDEX

Abraham, Jacob K. — A Numerical Method for Separation of Stresses in Photo-ortnotropic Elasticity, 61-66 (Feb.).
Agarwal, R. B. — A Simple Procedure for Casting Plates for Two-dimensional Photoelastic Models, 19N-20N (Sept.).
Akers, A. — Measurements on Scaled Models of Thrust Pads, 356-360 (Sept.).
Anderson, W. J. — An Electromagnetic Forcing Device, 161-166 (May).
Arcan, M. — A Method to Produce Uniform Plane-stress States with Applications to Fiber-reinforced Materials, 141-146 (Apr.).
Bhushan, B. — Experimental Determination of the Relaxation Modulus of a Linear-isotropic-viscoelastic Material, 421-425 (Nov.).
Biron, A. — Comparison of Low-cycle Fatigue Results with Axial and Diametral Extensometers, 127-133 (Mar.).
Bowie, G. E. — Residual Stress by Blind-hole Method with Off-center Hole, 173-179 (May).
Brown, K. — Optimization of Geometric Discontinuities in Stress Fields, 303-308 (Aug.).
Bui-Quoc, T. Comparison of Low-cycle Fatigue Results with Axial and Diametral Extensometers, 127-133 (Apr.).
Buitrago, J. — On the Interpretation of Shadow-moire Fringes, 221-226 (Jun.).
Bush, A. J. — Errata: Experimentally Determined Stress-intensity Factors for Single-edge-crack Round Bars Loaded in Bending, 280 (Jul.).
Carlyle, J. M. — Imminent Fracture Detection in Graphite/Epoxy Using Acoustic Emission, 191-195 (May).
Case, R. O. — Photoelastic-coating Analysis of a Thermoplastic, Rectangular-parallelpiped Pressure Vessel, 431-435 (Nov.).
Chandrashekhara, K. — A Numerical Method for Separation of Stresses in Photo-orthotropic Elasticity, 61-66 (Feb.).
Chawla, S. K. — A Lens Holographic moiré Technique to Obtain Components of Displacements and Derivatives, 373-381 (Oct.).
Chawla, S. K. — Extension to Three Dimensions of a Holographic-moiré Technique to Separate Patterns Corresponding to Components of Displacement, 321-327 (Sept.).
Chow, W. W. — Embedded Markers to Measure Strain in Extremely Soft Materials, 471-476 (Dec.).
Dally, J. W. — Classification of Stress-intensity Factors from Isochromatic-fringe Patterns, 441-448 (Dec.).
Daniel, I. M. — Full-field Optical Strain Measurement Having Postrecording Sensitivity and Direction Selectivity, 56-60 (Feb.).
Daniel, I. M. — Strain and Failure Analysis of Graphite/Epoxy Plates with Cracks, 246-252 (Jul.).
Danyluk, H. T. — Integrated Photoelasticity for Axisymmetric Problems, 215-220 (Jun.).
Dauer, F. W. — Experimental Determination of Impact Force vs. Displacement Curves, 159-160 (Apr.).
Dauer, F. W. — Experimental Determination of the Relaxation Modulus of a Linear-isotropic-viscoelastic Material, 421-425 (Nov.).
de Larminat, P. M. — Normal Surface Displacement Around a Circular Hole by Reflection Holographic Interferometry, 74-80 (Feb.).
Doyle, J. F. — A Unified Approach to Optical Constitutive Relations, 416-420 (Nov.).
Doyle, J. F. — Integrated Photoelasticity for Axisymmetric Problems, 215-220 (Jun.).
Durelli, A. J. — Discussion of "On the History of Some Recent Measurements Described in EXPERIMENTAL MECHANICS", 240 (Jun.).
Durelli, A. J. — On the Interpretation of Shadow-moiré Fringes, 221-226 (Jun.).
Durelli, A. J. — Optimization of Geometric Discontinuities in Stress Fields, 303-308 (Aug.).
Erickson, P. E. — Minimizing Stress Concentrations Around Circular Holes in Uniaxially Loaded Plates, 97-100 (Mar.).
Exner, G. A. — Holographic Displacement Analysis Using Image-plane Techniques, 382-388 (Oct.).
Fickes, J. D. — Determination of a Dynamic Model for Urethane Prosthetic Compounds, 389-395 (Oct.).
Finke, T. E. — Determination of Thermal-expansion Characteristics of Metals Using Strain Gages, 155-158 (Apr.).
Foster, C. G. — Measurement of Radial Deformations in Thin-walled Cylinders, 426-430 (Nov.).
Fukuoka, H. — Acoustoelastic Stress Analysis of Residual Stress in a Patch-welded Disk, 277-280 (Jul.).
Gdoutos, E. E. — A Photoelastic Determination of Mixed-mode Stress-intensity Factors, 87-96 (Mar.).
Gilbert, J. A. — Differentiation of Holographic-moiré Patterns, 436-439 (Nov.).

Gilbert, J. A. — Extension to Three Dimensions of a Holographic-moiré Technique to Separate Patterns Corresponding to Components of Displacement, 321-327 (Sept.).
Gilbert, J. A. — Holographic Displacement Analysis Using Image-plane Techniques, 382-388 (Oct.).
Glenn, L. A. — Crack Propagation in Rock Plates Loaded by Projectile Impact, 35-40 (Jan.).
Greenberg, H. J. — Measurement of Dimensional Changes in Thin Polymer Films, 115-120 (Mar.).
Hashin, Z. — A Method to Produce Uniform Plane-stress States with Applications to Fiber-reinforced Materials, 141-146 (Apr.).
Heberling, T. G. — Determination of Thermal-expansion Characteristics of Metals Using Strain Gages, 155-158 (Apr.).
Henschel, R. — Strain and Fatigue Testing of Large Expansion Bellows, 49-55 (Feb.).
Holly, J. N. — Photoelastic-coating Analysis of a Thermoplastic, Rectangular-parallelepiped Pressure Vessel, 431-435 (Nov.).
Houghton, J. R. — The Application of a Time-domain Deconvolution Technique for Identification of Experimental Acoustic-emission Signals, 233-239 Jun.).
Hsu, T. R. — Measurements of Crack Growth in a Solid at Elevated Temperature by Holographic Interferometry, 297-302 (Aug.).
Hung, Y. Y. — Full-field Optical Strain Measurement Having Postrecording Sensitivity and Direction Selectivity, 56-60 (Feb.).
Husman, G. E. — Use of Flexure Test for Determining Environmental Behavior of Fibrous Composites, 185-190 (May).
Hyer, M. W. — An Electromagnetic Forcing Device, 161-166 (May).
Jaun, H. — Crack Propagation in Rock Plates Loaded by Projectile Impact, 35-40 (Jan.).
Jensen, J. A. — Differentiation Along Arbitrary Orientations, 81-86 (Mar.).
Jogi, P. N. — The Determination of Biot's Parameters for Sandstones — Part 1: Static Tests, 167-172 (May).
Klink, S A. — Elastic-modulus Variations in Concrete, 147-151 (Apr.).
Kobayashi, A. S. — Dynamic Fracture Toughness of Homalite-100, 11-18 (Jan.).
Kobayahsi, A. S. — Dyanamic Photoelastic and Dynamic Finite-element Analyses of Dynamic-tear-test Specimens, 449-456 (Dec.).
Krawchuk, M. — Strain and Fatigue Testing of Large Expansion Bellows, 49-55 (Feb.).
Krishnamurthy, A. R. — Characteristic Relations of Flow Birefringence, Part 1: Relations in Transmitted Radiation, 1-10 (Jan.).
Krishnamurthy, A. R. — Characteristic Relations of Flow Birefringence, Part 2: Relations in Scattered Radiation, 41-48 (Feb.).
Kuske, A. — Discussion of "Superposition of Photoelastic Data", 440 (Nov.).
Levine, H. S. — Nonlinear Behavior of Circular Plates with Work Hardening, 281-291 (Aug.).
Lewak, R. — Measurements of Crack Growth in a Solid at Elevated Temperature by Holographic Interferometry, 297-302 (Aug.).
Lindrose, A. M. — Ultrasonic Wave and Moduli Changes in a Curing Epoxy Resin, 227-232 (Jun.).
Lou, A. Y. C. — Interlaminar-shear-strain Measurements in Cord-Rubber Composites, 454-463 (Dec.).
MacBain, J. C. — Displacement and Strain of Vibrating Structures Using Time-average Holography, 361-372 (Oct.).
Maher, F. J. — Aerodynamic Forces on a Tall Building in a Turbulent Boundary Layer, 201-207 (Jun.).
Mall, S. — Dynamic Fracture Toughness of Homalite-100, 11-18 (Jan.).
Mall, S. — Dynamic Photoelastic and Dynamic Finite-element Analyses of Dynamic-tear-test Specimens, 449-456 (Dec.).
Marion, R. H. — A New Method of High-temperature Strain Measurement, 134-140 (Apr.).
Marloff, R. H. — Stresses in Turbine-blade Tenons Subjected to Bending, 19-24 (Jan.).
McGowan, J. J. — A Study of Crack-tip Nonlinearities in Frozen-stress Fields, 309-315 (Aug.).
McKelvie, J. — A Practical Multiplied-moiré System, 316-320 (Aug.).
Mueller, R. K. — 1978 Murray Lecture: Mathematical and Physical Models, 241-245 (Jul.).
Nawwar, A. M. — On the Measurement of Residual-stress Gradients in Aluminum-alloy Specimens, 269-276 (Jul.).
Nelson, C. R. — An Experimental Investigation of the Ultimate Strength of Laterally Constrained Rock Beams, 261-268 (Jul.).
Neumann, P. — Hydraulic Materials-testing System with 10-nm Positional Accuracy, 152-154 (Apr.).
Nishimura, T. — Analysis of Axially Symmetrical Residual Stresses in Bars and Tubes, 180-184 (May).
Packman, P. F. — The Application of a Time-domain Deconvolution Technique for Identification of Experimental Acoustic-emission Signals, 233-239 (Jun.).
Pao, Y. C. — Determination of a Dynamic Model for Urethane Prosthetic Compounds, 389-395 (Oct.).
Parmerter, R. R. — Photoviscoelasticity on a Microsecond Time Scale, 344-349 (Sept.).
Parks, V. J. — A Holographic Method — for Matching and Measuring the Refractive Index of a Photoelastic Material, 112-114 (Mar.).
Parks, V. J. — Photoelastic and Holographic Analysis of a Turbine-engine Component, 328-334 (Sept.).
Peeters, R. L. — Photoviscoelasticity on a Microsecond Time Scale, 344-349 (Sept.).
Peters, W. H. — A Study of Crack-tip Nonlinearities in Frozen-stress Fields, 309-315 (Aug.).
Pindera, J. T. — Characteristic Relations of Flow Birefringence, Part 1: Relations in Transmitted Radiation, 1-10 (Jan.).
Pindera, J. T. — Characteristic Relations of Flow Birefringence, Part 2: Relations in Scattered Radiation, 41-48 (Feb.).
Radhakrishnan, V. M. — Cumulative Damage in Low-cycle Fatigue, 292-296 (Aug.).
Radhakrishnan, V. M. — Effect of Mean Stress in High-temperature Fatigue, 196-200 (May).
Reinhold, T. A. — Aerodynamic Forces on a Tall-building in a Turbulent Boundary Layer, 201-207 (Jun.).
Riley, W. F. — Minimizing Stress Concentrations Around Circular Holes in Uniaxially Loaded Plates, 97-100 (Mar.).
Rowlands, R. E — Analytical-Experimental Correlation of Polyaxial States of Stress in Thornel-Epoxy Laminates, 253-260 (Jul.).
Rowlands, R. E. — Differentiation Along Arbitrary Orientations, 81-86 (Mar.)
Rowlands, R. E. — Full-field Optical Strain Measurement Having Postrecording Sensitivity and Direction Selectivity, 56-60 (Feb.).
Rubayi, N. A. — Photoelastic Analysis of a Thick Plate with an Elliptical Hole Subjected to Simple Out-of-plane Bending, 335-343 (Sept.).
Sandifer, J. P. — Residual Stress by Blind-hole Method with Off-center Hole, 173-179 (May).
Sanford, R. J. — A Holographic Method for Matching and Measuring the Refractive Index of a Photoelastic Material, 112-114 (Mar.).
Sanford, R. J. — Classification of Stress-intensity Factors from Isochromatic-fringe Patterns, 441-448 (Dec.).
Sanford, R. J — Photoelastic and Holographic Analysis of a Turbine-engine Component, 328-334 (Sept.).
Schuler, K. W. — Lateral-deformation Gage for Rock-mechanics Testing, 447-480 (Dec.).
Sciammarella, C. A. — A Lens Holographic-moiré Technique to Obtain Components of Displacements and Derivatives, 373-381 (Oct.).
Sciammarella, C. A. — Extension to Three Dimensions of a Holographic-moiré Technique to Separate Patterns Corresponding to Components of Displacement, 321-327 (Sept.).
Scott, R. A. — An Electromagnetic Forcing Device, 161-166 (May).
Sharma, D. K. — Strain and Fatigue Testing of Large Expansion Bellows, 49-55 (Feb.).
Shewchuk, J. — On the Measurement of Residual-stress Gradients in Aluminum-alloy Specimens, 269-276 (Jul.).
Sidebottom, O. M. — Elevated-temperature Creep and Relaxation of Torsion-Tension Members, 121-126 (Apr.).
Sikora, J. P. — A Three-dimensional Displacement Analysis from an Image-plane Hologram, 101-106 (Mar.).
Sinha, N. K. — Rheology of Columnar-grained Ice, 464-470 (Dec.).
Sinha, N. K. — Stress State in Tempered Glass Plate and Determination of Heat-transfer Rate, 25-34 (Jan.).
Smith, C. W. — A Study of Crack-tip Nonlinearities in Frozen-stress Fields, 309-315 (Aug.).
Smith, G. M. — Determination of a Dynamic Model for Urethane Prosthetic Compounds, 389-395 (Oct.).
Sollid, J. E. — Strains from Holographic Data, 208-214 (Jun.).
Sosropartono, G. W. — Photoelastic Analysis of a Thick Plate with an Elliptical Hole Subjected to Simple Out-of-plane Bending, 335-343 (Sept.).
Spencer, H. H. — Are Measurements of Geometric Imperfections of Plates and Shells Useful?, 107-111 (Mar.).
Spier, E. E. — Stability of Graphite/Epoxy Structures with Arbitrary Symmetrical Laminates, 401-408 (Nov.).
Stassinakis, C. A. — The Elastic Contact of Two Disks by the Method of Caustics, 409-415 (Nov.).
Stephens, R. L. — Measurement of Dimensional Changes in Thin Polymer Films, 115-120 (Mar.).
Sterling, R. L. — An Experimental Investigation of the Ultimate Strength of Laterally Constrained Rock Beams, 261-268 (Jul.).
Stetson, K. A. — Strains from Holographic Data, 208-214 (Jun.).
Stetson, K. A. — The Use of an Image Derotator in Hologram Interferometry and Speckle Photography of Rotating Objects, 67-73 (Feb.).
Talke, F. E. — Measurement of Dimensional Changes in Thin Polymer Films, 115-120 (Mar.).
Teufel, L. W. — A Simple Procedure for Casting Plates for Two-dimensional Photoelastic Models, 19N-20N (Sept.).
Theocaris, P. S. — A Photoelastic Determination of Mixed-mode Stress-intensity Factors, 87-96 (Mar.).
Theocaris, P. S. — The Elastic Contact of Two Disks by the Method of Caustics, 409-415 (Nov.).
Tieleman, H. W. — Aerodynamic Forces on a Tall Building in a Turbulent Boundary Layer, 201-207 (Jun.).
Tillman, S. C. — Some Effects of Rib-reinforcement Arrangement on Spherical-dome Buckling, 396-400 (Oct.).
Toda, H. — Acoustoelastic Stress Analysis of Residual Stress in a Patch-welded Disk, 277-280 (Jul.).
Townsend, M. A. — The Application of a Time-domain Deconvolution Technique for Identification of Experimental Acoustic-emission Signals, 233-239 (Jun.).
Underwood, J. H. — The Equivalence of K_{Ic} and J_{Ic} Fracture-toughness Measurements in Ni-Cr-Mo Steels, 350-355 (Sept.).
Urabe, Y. — Dynamic Photoelastic and Dynamic Finite-element Analyses of Dynamic-tear-test Specimens, 449-456 (Dec.).
Voloshin, A. — A Method to Produce Unform Plane-stress States with Applications to Fiber-reinforced Materials, 141-146 (Apr.).
Walker, C. A. — A Practical Multiplied-moiré System, 316-320 (Aug.).
Walter, J. D. — Interlaminar-shear-strain Measurements in Cord-Rubber Composites, 454-463 (Dec.).
Wei, R. P. — Normal Surface Displacement Around a Circular Hole by Reflection Holographic Interferometry, 74-80 (Feb.).
Whitney, J. M. — Use of Flexure Test for Determining Environmental Behavior of Fibrous Composites, 185-190 (May).
Wilkins, B. J. S. — Measurements of Crack Growth in a Solid at Elevated Temperature by Holographic Interferometry, 297-302 (Aug.).
Winters, K. D. — Differentiation Along Arbitrary Orientations, 81-86 (Mar.).
Winter, R. — Nonlinear Behavior of Circular Plates with Work Hardening, 281-291 (Aug.).
Yamane, T. — Acoustoelastic Stress Analysis of Residual Stress in a Patch-welded Disk, 277-280 (Jul.).
Yee, P. — Optimization of Geometric Discontinuities in Stress Fields, 303-308 (Aug.).
Yew, C. H. — The Determination of Biot's Parameters for Sandstones — Part 1: Static Tests, 167-172 (May).